In the Claims

2

	Please amend the Claims to appear as follows.
1	1. (Cancelled).
1	2. (Cancelled).
1	3. (Previously Presented) A device for locating an item packaged in a container among potentially
2	obscuring protective material, said device comprises:
3	an elongated flexible tether extractably loaded upon a dispenser anchorable to said container
4	wherein said tether comprises a first end connected to a fastener attachable to said item;
5	wherein said dispenser comprises a stratified body having a bottom adhesive layer and a top
6	layer.
1	4. (Previously Presented) The device of Claim 3, wherein said tether is formed integrally with said
2	top layer.
1	5. (Previously Presented) The device of Claim 4, wherein said tether further comprises a plurality
2	of undulations thereby forming a resiliency enhancing structure.
1	6. (Previously Presented) The device of Claim 3 which further comprises said top layer being

shaped to form a weakened bond between said tether and a remainder portion of said top layer.

7. (Original) The device of Claim 6, wherein said weakened bond comprises an aperture separating 1 a portion of said tether from said remainder portion. 2 8. (Previously Presented) The device of Claim 4, wherein said top layer is formed from a single 1 2 piece of flexible sheet material. 9. (Previously Presented) The device of Claim 8, wherein said flexible sheet material is selected 1 from the group consisting of an elastomeric, vinyl, or latex rubber. 2 10. (Currently Amended) A device for locating an item packaged in a container among potentially 1 2 obscuring protective material, said device comprises: an elongated flexible tether extractably loaded upon a dispenser anchorable to said container; 3 wherein said tether is separable separates into one or more subtethers connected to said 4 5 dispenser. 1 11. (Currently Amended) A device for locating an item packaged in a container among 2 potentially obscuring protective material, said device comprises: an elongated flexible tether extractably loaded upon a dispenser anchorable to said 3 4 container; wherein said tether comprises a first end connected to a fastener attachable to said item; 5 wherein said tether and said fastener are formed integrally from a layer of elastomeric 6

7

material;

·	8	and
	9	wherein said fastener comprises a widened portion of said tether into a sheet-like pad.
	1	12. (Previously Presented) The device of Claim 11, wherein said pad is shaped to form an
	2	attachment eye through said pad.
	1	13. (Previously Presented) The device of Claim 11, wherein said device further comprises an
	2	adhesive disk formed on a first surface of said pad.
	1	14. (Cancelled).
-	1	15. (Cancelled).
	1	16. (Previously Presented) The device of Claim 3, wherein said fastener is selected from the group
	2	consisting of: a piece of sticky tape; an amount of glue; a rivet; a staple; complementary magnetic
	3	strips; complementary hook-and-vane fasteners; twist tie materials; a clip; and a sealable bag.
	1	17. (Cancelled).
	1	18. (Cancelled).
	1	19. (Cancelled).

1	20. (Cancelled) .
1	21. (Previously Presented) The device of Claim 3, wherein said dispenser further comprises a badge
2	adapted to carry item identification information.
1	22. (Previously Presented) The device of Claim 3, wherein said tether is separable into one or
2	more subtethers.
1	23. (Cancelled).
1	24. (Previously Presented) The device of Claim 10, wherein a first one of said subtethers comprises
2	a first end connected to a fastener attachable to said item.
1	25. (Cancelled).
1	26. (Previously Presented) The device of Claim 10, wherein said dispenser further comprises a
2	badge adapted to carry item identification information.
1 2	27. (Previously Presented) The device of Claim 10, wherein said dispenser comprises a stratified body having a bottom layer and a top layer.

- 1 28. (Previously Presented) The device of Claim 27, wherein said tether is formed integrally with
- 2 said top layer.
- 1 29. (Previously Presented) The device of Claim 28, wherein said tether further comprises a plurality
- 2 of undulations thereby forming a resiliency enhancing structure.
- 1 30. (Previously Presented) The device of Claim 27 which further comprises said top layer being
- 2 shaped to form a weakened bond between said tether and a remainder portion of said top layer.
- 1 31. (Cancelled).